

FIGURE 1

CONTROL OPERATOR
10 -1,-2,-3,-4





FIGURE 2




FIGURE 3 PHRASE SYNTHESIS 70

TOGGLE 90-1 CONTROL LOGIC 1 NOTE ACT 1




FIGURE 5A




FIGURE 5B




FIGURE 6A

AND GATE 211

```
Public Function AndGate(ByVal Left As Boolean, ByVal Right As Boolean) As Boolean

  If Left And Right Then
    AndGate = True
  End If

End Function
```

FIGURE 6B

TRANSPARENT
LATCH 212

```
Public Function TransLatch(In1 As Boolean, In2 As Boolean) As Boolean
  Static Trans As Boolean

  Trans = Not AndGate(Not (AndGate(In1, Not (In2))), _
    Not (AndGate(Not (AndGate(In1, In2)), Trans)))
  TransLatch = Trans

End Function
```

FIGURE 6C

EDGE TRIGGERED
LATCH 213

```
Public Function Latch(In1 As Boolean, In2 As Boolean) As Boolean
  Static Latched, Transed As Boolean

  Latched = AndGate(Not (AndGate(Not (In1), Transed)), _
    Not (AndGate(Not (AndGate(Not (In1), _
    Not (AndGate(Not (AndGate(In1, In2)), Transed))))), Not (Latched))))
  Transed = TransLatch(In1, In2)
  Latch = Latched

End Function
```


FIGURE 7A




FIGURE 7B




FIGURE 7C




FIGURE 8A

FLIP FLOP 218

Public Attack As Boolean

Function FlipFlop(Note, Op as Boolean)

If Not Note and Op and Attack Then Attack = False
If Not Op and Not Attack then Attack = True

Debug.Print Attack
End Function

FIGURE 8B

SEQUENTIAL LATCH 216

Public Attack As Boolean

Function SeqLatch(Note, Op as Boolean)
Static Gate as Boolean

If Gate And Op Then Attack = True
If Not Op Then Attack = False
If Note And Not Op Then Gate = True
If Not Note Then Gate = False

Debug.Print Attack
End Function

FIGURE 9A




FIGURE 9B

SIMPLE
LATCH 215

```
Public Function AttRel1(Note As Boolean, Op As Boolean) As Boolean
Static AttackLeft as Boolean
```

```
    If Note And Op And Not AttackLeft Then
        AttackLeft = True
    End If
```

```
    If Not Note And Not Op And AttackLeft Then
        AttackLeft = False
    End If
```

```
    AttRel1 = AttackLeft
```

```
End Function
```


FIGURE 10A

```
Public AttackLeft, AttackRight As Boolean

Public Function AttRel1(Note As Boolean, Op As Boolean) As Boolean
Static AttRel1 as Boolean

    If Note And Not Op Then
        AttackLeft = True
    End If

    If Not Note And Not Op Then
        AttackLeft = False
    End If

    AttRel1 = AttackLeft

End Function
```

FIGURE 10B

```
Public AttackLeft, AttackRight As Boolean

Function AttRel2(Note As Boolean, Op As Boolean)

    If Note And Not Op And Not AttackRight Then
        AttackLeft = True
    End If

    If Note And Op And Not AttackLeft Then
        AttackRight = True
    End If

    If Not Note And Op Then
        AttackRight = False
    End If

    If Not Note And Not Op Then
        AttackLeft = False
    End If

    Debug.Print AttackLeft
    Debug.Print AttackRight

End Function
```


FIGURE 11A

Public AttackLeft, as Boolean

Function AttRel8(Note As Boolean, Op As Boolean)

Static Gate1, Gate2 as Boolean

 If Note And Not Op And Gate1 Then

 AttackLeft = True

 End If

 If Not Note And Op And Not Gate1 Then

 AttackLeft = False

 End If

 If Not Note And Not Op And Not AttackLeft Then

 Gate1 = True

 End If

 If Not Note And Not Op And AttackLeft Then

 Gate1 = False

 End If

 Debug.Print AttackLeft

End Function

Attack Latch 210

FIGURE 11B

Public AttackLeft, AttackRight as Boolean

Function AttRel5(Note As Boolean, Op As Boolean)

Static Gate1, Gate2 as Boolean

 If Note And Not Op And Not AttackRight Then

 AttackLeft = True

 Gate1 = False

 End If

 If Note And Op And Not AttackLeft Then

 AttackRight = True

 Gate2 = False

 End If

 If Not Note And Op Then

 Gate2 = True

 End If

 If Not Note And Not Op Then

 Gate1 = True

 End If

 If Not Note And Not Op And Gate2 Then

 AttackRight = False

 End If

 If Not Note And Op And Gate1 Then

 AttackLeft = False

 End If

 Debug.Print AttackLeft

 Debug.Print AttackRight

End Function

FIGURE 12

NOTE ENABLE 200




FIGURE 13

NOTE ENABLE 200




FIGURE 14




FIGURE 15

```
Public AttackLeft, AttackRight As Boolean

Function AttRel4(Note As Boolean, Op As Boolean)

    If Note And Op And Not AttackRight Then
        AttackLeft = True
    End If

    If Note And Not Op And Not AttackLeft Then
        AttackRight = True
    End If

    If Not Note And Not Op Then
        AttackLeft = False
    End If

    If Not Note And Op Then
        AttackRight = False
    End If

    Debug.Print Attack Left
    Debug.Print Attack Right

End Function
```


FIGURE 16A

FORWARD ATTACK
LATCH 310

```
Public AttackLeft as Boolean

Public Function AttRel7(Note As Boolean, Op As Boolean) As Boolean
Static Gate1, Gate2 as Boolean

    If Note And Op And Gate2 Then
        AttackLeft = True
    End If
    If Not Note And Not Op And Not Gate2 Then
        AttackLeft = False
    End If
    If Not Note And Op Then
        Gate2 = False
    End If
    If Note And Not Op Then
        Gate2 = True
    End If
    Debug.Print AttackLeft

End Function
```

FIGURE 16B

```
Public AttackLeft, AttackRight as Boolean

Function AttRel6(Note As Boolean, Op As Boolean)
Static Gate1, Gate2 as Boolean

    If Note And Op And Gate2 Then
        AttackLeft = True
    End If
    If Note And Not Op And Gate1 Then
        AttackRight = True
    End If
    If Note And Op And Not AttackLeft Then
        Gate1 = True
    End If
    If Note And Not Op And Not AttackRight Then
        Gate2 = True
    End If
    If Not Note And Not Op And Not Gate2 Then
        AttackLeft = False
        Gate1 = False
    End If
    If Not Note And Op And Not Gate1 Then
        AttackRight = False
        Gate2 = False
    End If
    Debug.Print AttackLeft
    Debug.Print AttackRight

End Function
```


FIGURE 17

Public Attack as Boolean

Function AttackRelease(Note as Boolean, Op as Boolean)

Static Gate1, Gate2 as Boolean

 If Gate2 = True and Op = False Then

 Attack = False

 Gate2 = False

 End If

 If Attack = True and Note = False Then Gate2 = True

 If Gate1 = True And Op = True Then

 Attack = True

 Gate1 = False

 End If

 If Attack = False and Note = True Then Gate1 = True

 Debug.Print Attack

End Function

FORWARD ATTACK LATCH 310

FIGURE 18

```
Public Function AttackD(Note As Boolean, Op As Boolean) As Boolean
Static Gate1, Gate2, Gate3 as Boolean
```

```
    If Gate3 And Op Then
        AttackD = True
        Gate3 = False
    End If
```

```
    If Gate2 And Note Then
        Gate3 = True
        Gate2 = False
    End If
```

```
    If Gate1 And Not Op Then
        AttackD = False
        Gate2 = True
        Gate1 = False
    End If
```

```
    If Not Note And Op Then
        Gate1 = True
    End If
```

```
    If Not Note And Not Op Then
        Gate2 = True
    End If
```

```
End Function
```

FORWARD ATTACK LATCH 310

FIGURE 19

Public AttackLeft, AttackRight as Boolean

Function AttackOn(Note As Boolean, Op As Boolean)

Static Gate1, Gate2, Gate3, Gate4 as Boolean

 If Gate4 = True And Op = False Then

 AttackRight = False

 Gate4 = False

 End If

 If Gate3 = True And Op = False Then

 AttackLeft = False

 Gate3 = False

 End If

 If AttackRight = True And Note = False Then

 Gate4 = True

 End If

 If AttackLeft = True And Note = False Then

 Gate3 = True

 End If

 If Gate2 = True And Op = False Then

 AttackRight = True

 Gate1 = False

 Gate2 = False

 End If

 If Gate1 = True And Op = True Then

 AttackLeft = True

 Gate1 = False

 Gate2 = False

 End If

 If AttackRight = False And AttackLeft = False And Note = True Then

 Gate1 = True

 Gate2 = True

 End If

 If AttackLeft = False And AttackRight = False And Note = True Then

 Gate1 = True

 Gate2 = True

 End If

 Debug.Print AttackLeft

 Debug.Print AttackRight

End Function

FIGURE 20

```
Public AttackLeft, AttackRight as Boolean

Function BiAttackD(Note As Boolean, Op As Boolean)
Static Gate1, Gate2, Gate3, Gate4 as Boolean

    If Gate3 And Op Then
        AttackLeft = True
        Gate3 = False
    End If

    If Gate4 And Not Op Then
        AttackRight = True
        Gate4 = False
    End If

    If Gate2 And Op Then
        AttackRight = False
        Gate2 = False
        Gate1 = True
    End If

    If Gate1 And Not Op Then
        AttackLeft = False
        Gate2 = True
        Gate1 = False
    End If

    If Gate2 And Note Then
        Gate3 = True
        Gate2 = False
    End If

    If Gate1 And Note Then
        Gate4 = True
        Gate1 = False
    End If

    If Not Note And Op Then
        Gate1 = True
        Gate4 = False
    End If

    If Not Note And Not Op Then
        Gate2 = True
        Gate3 = False
    End If

    Debug.Print AttackLeft
    Debug.Print AttackRight

End Function
```


FIGURE 21A






FIGURE 21B



ATTACK	OPERATOR
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100



ATTACK	OPERATOR
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100




FIGURE 23A

```
Public Note, Op, Attack As Boolean
Public Count As Integer

Function CountLatch(Note, Op)

    If Note = 0 And Op = 0 And Count = 0 Then Count = 1
    If Note = 1 And Op = 0 And Count = 1 Then
        Count = 2
        Attack = 1
    End If

    If Note = 0 And Op = 0 And Count = 2 Then Count = 1
    If Note = 0 And Op = 1 And Count = 1 Then
        Count = 0
        Attack = 0
    End If

    Debug.Print Attack
End Function
```

FIGURE 23B

```
Public NoteLast, OpLast, Attack As Boolean
Public NoteTime, OpTime As Variant

Function TimeLatch(Note As Boolean, Op As Boolean)

    If Note <> NoteLast Then NoteTime = Time()
    If Op <> OpLast Then OpTime = Time()

    If Note And Op Then
        If OpTime > NoteTime Then Attack = True
    End If

    If Not Note And Not Op Then
        If OpTime > NoteTime Then Attack = False
    End If

    NoteLast = Note
    OpLast = Op

    Debug.Print Attack
End Function
```





FIGURE 24

FIGURE 25




FIGURE 26




FIGURE 27




FIGURE 28




FIGURE 29

NOTE
SELECT 60-1




FIGURE 30




FIGURE 31




FIGURE 32




FIGURE 33




FIGURE 34




FIGURE 35

